

**TRINCO™ MASTER MODEL 42 X 24 SPLIT LEVEL
 WITH 300 CFM ABRASIVE SEPARATOR***

- Ruggedly built of 14 Gauge welded steel
- Double floor - 1/8" Expandex steel plus Carbon screen
- Trinco™ Tungsten carbide nozzle
- Trinco™ safety enclosed floor valve blasting control
- Trinco™ fluorescent lighting to eliminate shadows and minimize energy usage
- Trinco™ large 12"x24" safety glass window for excellent visibility and increased operator efficiency
- Air pressure regulator and gauge
- Trinco™ filter bag
- Trinco™ easy change window frame
- Trinco™ heavyweight rubber gloves - Neoprene optional



*450 CFM Abrasive Separator required if blasting with Aluminum Oxide

Inside:

Depth	24"
Width	42"
Height	24"

Overall :

Depth	38" Completely open 50"
Width	70"
Height	65"

Door Openings:

Two (2)	
Flip Top	42" x 24"
Side Door	11" x 11"

Shipping Weight: Approximately 430 Lbs.

Optional Accessories:

- Water Filter
- Blow Off Gun
- Turntable
- Auto Power Basket
- Spare parts package
- Abrasives

**NEVER USE SILICA-BASED PRODUCTS
 IN TRINCO™ BLAST SYSTEMS
 Ref. NIOSH Alert # 92-102**

TRINCO™ DRY BLAST APPLICATIONS

The applications of Trinco™ Cabinets are virtually limitless - cleaning, deburring, decorating, deflashing, etching, finishing, honing, peening, etc. All of these uses and more can be accomplished easily with quick sweeps of the gun nozzle. Scale corrosion, old paint and other surface materials are removed in minutes leaving metal surfaces free of foreign matter and contamination. Even tough mill scale is quickly and efficiently removed.

The usual operating pressure for the Trinco™ Dry Blast Cabinets is 85 PSI. The equipment utilizes a variety of abrasives such as Trin Mixes™, glass beads, aluminum oxide, silicon carbide, nut shells, etc. A multitude of finishes are possible ranging from a micro-finish to a coarse-grade finish depending upon the specific media used. Trinco™ Cabinets can apply the proper abrasive to provide the desired finish for each specific application.

web: www.trinco.com - Rev 4/02